

40M101 Device Support (Rev 14.2)
41M101 Device Support (Rev 15.0)
42M101 Device Support (Rev 14.1)

(November 1994)

Please note:

Any device indicated by

⇒

is a new addition to the
device support list.



Stag Programmers Limited Silver Court Watchmead Welwyn Garden City Herts AL7 1LT
United Kingdom Telephone: 01707 332 148 Facsimile: 01707 371 503
Stag Microsystems Inc 1600 Wyatt Drive Santa Clara CA 95054 USA
Telephone: 408 988 1118 Facsimile: 408 988 1232

803 5544

40/41/42 M101 Device Support

| | | |
|---------|------|------|
| 27C512A | 3FFD | 7.0 |
| 27C010 | 3FE1 | 10.0 |
| 27C020 | 3FE2 | 11.0 |
| 27C040 | 3FE4 | 11.0 |
| EEPROMs | | |
| 9817 | 3F58 | 1.0 |
| 98C64 | 3F7C | 1.0 |

SAMSUNG

| Device | Code | Rev |
|---------|------|-----|
| EEPROMs | | |
| 2816A | 0952 | 1.0 |
| 2864A | 095C | 1.0 |
| 2865A | 095C | 1.0 |

NEC

| Device | Code | Rev |
|---------|------|------|
| EPROMs | | |
| 2716 | CF42 | 2.0 |
| 2732 | CF41 | 2.0 |
| 2732A | CFC4 | 2.0 |
| 2764 | CF4A | 1.0 |
| 2764A | CFCA | 2.0 |
| 27C64 | CFDA | 1.0 |
| 27HC65 | CF35 | 10.0 |
| 27128 | CF4B | 1.0 |
| 27128A | CFCB | 2.0 |
| 27256 | CF4C | 1.0 |
| 27256A | CFCC | 6.0 |
| 27C256 | CFDC | 1.0 |
| 27C256A | CFD8 | 6.0 |
| 27C512 | CFDD | 1.0 |
| 27C1000 | CFE3 | 3.02 |
| 27C1001 | CFE1 | 1.0 |
| 27C2001 | CFE2 | 4.0 |
| 27C4001 | CFE4 | 9.0 |
| 27C8001 | CFF0 | 9.0 |
| EEPROMs | | |
| 28C64 | CF7C | 11.0 |

SEEQ

| Device | Code | Rev |
|---------|------|-----|
| EPROMs | | |
| 2764 | FF4A | 1.0 |
| 27128 | FF4B | 1.0 |
| 27256 | FF4C | 1.0 |
| 27C256 | FFDC | 1.0 |
| 5133 | FF4A | 1.0 |
| 5143 | FF4B | 1.0 |
| EEPROMs | | |
| 2804A | FF50 | 2.0 |
| 2816A | FF52 | 1.0 |
| 2816AH | FF55 | 1.0 |
| 2817A | FF58 | 1.0 |
| 2817AH | FF59 | 1.0 |
| 2864 | FF5B | 1.0 |
| 2864H | FF5B | 1.0 |
| 28C64 | FF7C | 6.0 |
| 28C256 | FF7F | 8.0 |
| 36C16 | FFBA | 1.0 |
| 36C32 | FFBB | 1.0 |
| 38C16 | FF76 | 2.0 |
| 38C32 | FF7A | 2.0 |
| 5213 | FF54 | 1.0 |
| 52B13 | FF54 | 1.0 |
| 52B13H | FF56 | 1.0 |
| 52B33 | FF5A | 1.0 |
| 52B33H | FF5E | 1.0 |
| 48128 | FFAE | 1.0 |

OKI

| Device | Code | Rev |
|---------|------|-----|
| EPROMs | | |
| 2716 | 0842 | 2.0 |
| 2532 | 0843 | 2.0 |
| 2732 | 0844 | 2.0 |
| 2732A | 08C4 | 2.0 |
| 2764 | 084A | 1.0 |
| 2764A | 08CA | 6.0 |
| 27128 | 084B | 1.0 |
| 27128A | 08CB | 6.0 |
| 27256 | 084C | 2.0 |
| 27512 | 084D | 6.0 |
| EEPROMs | | |
| 2816A | 0852 | 1.0 |

SHARP

| Device | Code | Rev |
|--------|------|-----|
| EPROMs | | |
| 5762 | F7E7 | 5.0 |
| 5763 | F7E7 | 5.0 |
| 5764 | F7DA | 2.0 |
| 57126 | F7E8 | 5.0 |
| 57127 | F7E8 | 5.0 |
| 57128 | F7DB | 2.0 |
| 57254 | F7E9 | 5.0 |
| 57255 | F7E9 | 5.0 |
| 57256 | F7DC | 2.0 |
| 5749 | F7AC | 2.0 |

ROCKWELL

| Device | Code | Rev |
|---------|------|-----|
| EPROMs | | |
| 87C32 | 06D4 | 1.0 |
| EEPROMs | | |
| 2816A | 0652 | 1.0 |

40/41/42 M101 Device Support

PHILIPS (was SIGNETICS)

| Device | Code | Rev |
|---------|------|-----|
| EPROMs | | |
| 27C64A | 1FDA | 8.1 |
| 27HC641 | 1FBC | 7.0 |
| 27C256 | 1FDC | 8.1 |
| 87C64 | 1FEA | 1.0 |
| 87C256 | 1FEC | 2.0 |
| 27C512 | 1FDD | 5.0 |

SMOS

| Device | Code | Rev |
|---------|------|-----|
| EPROMs | | |
| 27C64 | 0FDA | 1.0 |
| 27128 | 0F4B | 1.0 |
| 27C256 | 0FDC | 1.0 |
| EEPROMs | | |
| 2864 | 0F5B | 1.0 |

STM

| Device | Code | Rev |
|---------|------|------|
| 2716 | 8F42 | 2.0 |
| 2532 | 8F43 | 2.0 |
| 2732A | 8FC4 | 2.0 |
| 2764 | 8F4A | 1.0 |
| 2764A | 8FCA | 1.0 |
| 27HC641 | 8FAC | 8.0 |
| 27128A | 8FCB | 1.0 |
| 27256 | 8F4C | 1.0 |
| 27C256 | 8FDC | 8.0 |
| 27C256B | 8FFC | 5.0 |
| 27512 | 8F4D | 1.0 |
| 27C512 | 8FFD | 6.0 |
| 27C1000 | 8FE3 | 5.0 |
| 27C1001 | 8FE1 | 5.0 |
| 27C2001 | 8FE2 | 8.0 |
| 27C4001 | 8FE4 | 8.0 |
| 87C257 | 8FED | 8.0 |
| 27C64 | C7DA | 1.0 |
| 27C256 | C7DC | 1.0 |
| 2716 | C742 | 2.0 |
| C2716 | C7D2 | 2.0 |
| C2732 | C7D4 | 1.0 |
| 2764 | C74A | 1.0 |
| 28F512 | 8FB1 | 13.0 |
| 28F101 | 8FB2 | 13.0 |
| 28F201 | 8FB3 | 13.0 |
| 27C128A | 8FFB | 12.0 |
| 27V512 | 8FFD | 12.0 |
| 27V101 | 8FE1 | 12.0 |
| 27V201 | 8FE2 | 12.0 |
| 27V401 | 8FE4 | 12.0 |

TEXAS INSTRUMENTS

| Device | Code | Rev |
|---------|------|------|
| 2516 | 4F42 | 2.0 |
| 2516* | 4F46 | 2.0 |
| 2516A | 4FC1 | 2.0 |
| 2532 | 4F43 | 2.0 |
| 2532* | 4F48 | 2.0 |
| 2532A | 4FC5 | 2.0 |
| 2564 | 4F47 | 1.0 |
| 2564* | 4F49 | 1.0 |
| 2732 | 4F44 | 2.0 |
| 2732A | 4FC4 | 2.0 |
| 2732A* | 4FC6 | 2.0 |
| 27C32 | 4FD4 | 6.0 |
| 2764 | 4F4A | 1.0 |
| 2764* | 4F4E | 1.0 |
| 27C64 | 4FDA | 6.0 |
| 27128 | 4F4B | 1.0 |
| 27128* | 4F4F | 1.0 |
| 27128A | 4FCB | 1.0 |
| 27C128 | 4FFB | 4.2 |
| 27C128* | 4FDB | 1.0 |
| 27256 | 4F4C | 4.3 |
| 27C256 | 4FFC | 13.1 |
| 27C256* | 4FDC | 1.0 |
| 27C291 | 4F63 | 6.0 |
| 27C292 | 4F63 | 6.0 |
| 27C512 | 4FFD | 8.0 |
| 27C512* | 4FDD | 1.0 |
| 27C010 | 4FE1 | 14.0 |
| 27C020 | 4FE2 | 14.0 |
| 27C010A | 4EE1 | 8.1 |
| 27C040 | 4FE4 | 10.0 |

* Uses old programming algorithms

TOSHIBA

| Device | Code | Rev |
|---------|------|-----|
| EPROMs | | |
| 2716 | EF42 | 6.0 |
| 2732 | EF44 | 2.0 |
| 2732A | EFC4 | 2.0 |
| 2764 | EF4A | 1.0 |
| 2764A | EFCA | 1.0 |
| 27128 | EF4B | 1.0 |
| 27128A | EF4B | 1.0 |
| 27256 | EF4C | 1.0 |
| 27256A | EFCC | 1.0 |
| 27256BD | EFFC | 4.3 |
| 27512 | EF4D | 1.0 |
| 27512A | EFFD | 6.0 |
| 57256 | EFDC | 1.0 |
| 57256A | EFD8 | 1.0 |
| 571000 | EFE1 | 4.3 |
| 571001 | EFE3 | 4.0 |
| 574000 | EFE4 | 5.0 |
| 58257A | EFB6 | 7.0 |

40/41/42 M101 Device Support

VITELIC

| Device | Code | Rev |
|--------|------|-----|
| EPROMs | | |
| 27C256 | 0DDC | 1.0 |

VLSI

| Device | Code | Rev |
|--------|------|-----|
| EPROMs | | |
| 27C64 | 04DA | 1.0 |
| 27C128 | 04DB | 1.0 |
| 27C256 | 04DC | 1.0 |
| 27C512 | 04DD | 2.0 |

WAFERSCALE

| Device | Code | Rev |
|---------|------|------|
| EPROMs | | |
| 57C49C | 0B9F | 13.0 |
| 57C64F | 0BDA | 8.2 |
| 57C43B | 0BAB | 8.2 |
| 57C43R | 0RAB | 3.0 |
| 57C49B | 0BAC | 8.2 |
| 57C128F | 0BDB | 8.2 |
| 57C191B | 0BAA | 8.2 |
| 57C256F | 0BDC | 8.2 |
| 57C291 | 0BAA | 3.0 |
| 27C64L | 0BFA | 8.2 |
| 27C128L | 0BFB | 8.2 |
| 27C256L | 0BFC | 8.2 |
| 27C512L | 0BFD | 8.2 |
| 27C512F | 0BDD | 8.2 |
| 27C040 | 0BE4 | 8.2 |
| 27C020 | 0BE2 | 8.2 |
| 27C010L | 0BE1 | 8.2 |

XICOR

| Device | Code | Rev |
|---------|------|-----|
| EEPROMs | | |
| 2804A | 0750 | 1.0 |
| 2816A | 0752 | 1.0 |
| 2816B | 0757 | 1.0 |
| 2816H | 0757 | 1.0 |
| 28C16 | 0774 | 1.0 |
| 2864A | 075C | 4.0 |
| 2864H | 075B | 4.0 |
| 2864B | 075B | 4.0 |
| 28C64 | 077C | 4.0 |
| 28256 | 075F | 8.0 |
| 28256B | 075F | 8.0 |
| 28C256 | 077F | 8.0 |
| 28C256B | 077F | 8.0 |

40/41/42 M101 Device Support

AMD

| Device | Code | Rev |
|---------|------|------|
| 2716 | 9F42 | 2.0 |
| 2716B | 9FC2 | 2.0 |
| 2732 | 9F44 | 2.0 |
| 2732A | 9FC4 | 2.0 |
| 2732B | 9FC3 | 2.0 |
| 27C49 | 9FAC | 3.0 |
| 2764 | 9F4A | 1.0 |
| 2764A | 9FCA | 1.0 |
| 2764AF | 9FFA | 2.0 |
| 27C64 | 9FDA | 6.0 |
| 27C010 | 9FE1 | 8.1 |
| 27C020 | 9FE2 | 11.0 |
| 27C040 | 9FE4 | 12.0 |
| 27C100 | 9FE3 | 6.0 |
| 27128 | 9F4B | 1.0 |
| 27128A | 9FCB | 1.0 |
| 27128AF | 9FFB | 2.0 |
| 27C128 | 9FDB | 8.1 |
| 27C191 | 9FAA | 3.0 |
| 27256 | 9F4C | 4.3 |
| 27256F | 9FFC | 4.3 |
| 27C256 | 9FDC | 11.0 |
| 27C291 | 9FAA | 3.0 |
| 27512 | 9F4D | 1.0 |
| 27512F | 9FFD | 2.0 |
| 27C512 | 9FDD | 4.3 |
| 2817A | 9F58 | 1.0 |
| 2864A | 9F5C | 2.0 |
| 2864AE | 9F5C | 2.0 |
| 2864B | 9F5D | 1.0 |
| 2864BE | 9F5D | 2.0 |
| 9864 | 9F5B | 1.0 |
| 28C256 | 9F7F | 8.0 |
| 28F256 | 9FB0 | 13.0 |
| 28F512 | 9FB1 | 13.0 |
| 28F010 | 9FB2 | 13.0 |
| 28F020 | 9FB3 | 13.0 |
| 29F010 | 9FB4 | 11.0 |
| 29F040 | 9FB7 | 14.1 |

ATMEL

| Device | Code | Rev |
|---------|------|------|
| 27HC64 | B7DA | 2.0 |
| 27HC641 | B7AC | 2.0 |
| 27HC642 | B7AC | 3.0 |
| 27C128 | B7DB | 6.0 |
| 27C256R | B7FC | 10.0 |
| 27256 | B74C | 1.0 |
| 27C256 | B7DC | 1.0 |
| 27HC256 | B7DC | 2.0 |
| 27C512 | B7DD | 1.0 |
| 27C512R | B7FD | 5.0 |
| 27C513 | B7CD | 1.0 |
| 27513R | B7FE | 5.0 |
| 27C515 | B7CF | 1.0 |
| 27C010 | B7E1 | 8.1 |

| | | |
|----------|------|------|
| 27C011 | B7CE | 2.0 |
| 27C012 | B7D0 | 2.0 |
| 27C020 | B7E2 | 8.0 |
| 27C040 | B7E4 | 11.1 |
| 28C04 | B770 | 1.0 |
| 28C04F | B771 | 1.0 |
| 28C16 | B774 | 1.0 |
| 28C16F | B775 | 1.0 |
| 28C17 | B778 | 1.0 |
| 28C17F | B779 | 1.0 |
| 28C64 | B77C | 1.0 |
| ⇒ 28C64B | B75D | 15.0 |
| 28C64F | B77D | 1.0 |
| 28PC64 | B75C | 6.0 |
| 28C256 | B77F | 8.0 |
| 28HC641 | B7AC | 8.0 |
| 28HC191 | B733 | 3.0 |
| 28HC291 | B733 | 3.0 |
| 29C256 | B7B6 | 13.0 |
| 29C512 | 9FB1 | 12.0 |
| 29C010 | B7B2 | 9.0 |

AUSTEK

| Device | Code | Rev |
|--------|------|-----|
| 27HC64 | 00DA | 5.0 |

CATALYST

| Device | Code | Rev |
|---------|------|------|
| 2764A | D7FA | 3.0 |
| 27128A | D7FB | 3.0 |
| 27256 | D7FC | 3.0 |
| 27HC256 | D7DC | 5.0 |
| 27512 | D7FD | 3.0 |
| 27010 | D7E1 | 5.0 |
| 28C16A | D774 | 2.0 |
| 28C17A | D778 | 2.0 |
| 28C64A | D77C | 2.0 |
| 28F010 | D7B2 | 13.0 |

CYPRESS

| Device | Code | Rev |
|------------------------------|------|------|
| ⇒ 27C256 | 2CFC | 15.0 |
| 7C281 | 2C62 | 3.0 |
| 7C282 | 2C62 | 1.0 |
| (not supported on 40/41M101) | | |
| 7C286 | 2C4D | 14.0 |
| (not supported on 40M101) | | |
| 7C291 | 2C63 | 7.0 |
| (not supported on 40/41M101) | | |
| 7C291A | 2CAA | 3.0 |
| (not supported on 40/41M101) | | |
| 7C292 | 2C63 | 11.1 |
| (not supported on 40/41M101) | | |
| 7C292A | 2CAA | 3.0 |
| (not supported on 40/41M101) | | |
| 7C293A | 2CAA | 3.0 |

40/41/42 M101 Device Support

EXEL

| Device | Code | Rev |
|---------|------|-----|
| EEPROMs | | |
| 2804A | 0150 | 2.0 |
| 2816A | 0152 | 1.0 |
| 2817A | 0158 | 1.0 |
| 2864A | 015C | 3.0 |
| 2865A | 015C | 3.0 |
| 46C16 | 01BA | 1.0 |
| 46HC64 | 01AC | 3.0 |
| 48C64 | 017C | 1.0 |

FUJITSU

| Device | Code | Rev |
|---------|------|------|
| EPROMs | | |
| 2716 | AF42 | 2.0 |
| 2732 | AF44 | 2.0 |
| 2732A | AFC4 | 2.0 |
| 2764 | AF4A | 1.0 |
| 27C64 | AFDA | 1.0 |
| 27128 | AF4B | 1.0 |
| 27C128 | AFDB | 1.0 |
| 27256 | AF4C | 1.0 |
| 27C256 | AFDC | 1.0 |
| 27C256A | AFD8 | 1.0 |
| 27C512 | AFDD | 0.0 |
| 27C1000 | AFE3 | 3.02 |
| 27C1001 | AFE1 | 7.0 |
| 27C4000 | AFE5 | 6.0 |
| 27C4001 | AFE4 | 6.0 |
| EEPROMs | | |
| 28C64 | AF7C | 1.0 |
| 28C65 | AF7C | 1.0 |

HITACHI

| Device | Code | Rev |
|---------|------|------|
| 2716 | BF42 | 2.0 |
| 2532 | BF43 | 2.0 |
| 2732 | BF44 | 2.0 |
| 2732A | BFC4 | 2.0 |
| 2764 | BF4A | 1.0 |
| 27C64 | BFDA | 1.0 |
| 27C101 | BFE1 | 4.0 |
| 27128 | BF4B | 1.0 |
| 27128A | BFCB | 1.0 |
| 27256 | BF4C | 1.0 |
| 27C256 | BFDC | 1.0 |
| 27C256H | BFFC | 5.0 |
| 27C256A | BFFC | 5.0 |
| 27C301 | BFE3 | 4.0 |
| 27C4001 | BFE4 | 9.0 |
| 27512 | BF4D | 1.0 |
| 58064 | BF5A | 1.0 |
| 58C65 | BF7C | 1.0 |
| 58C256P | BF7F | 8.0 |
| 58C1001 | BF77 | 11.0 |

HYUNDAI

| Device | Code | Rev |
|--------|------|-----|
| EPROMs | | |
| 27C64A | E7DA | 3.0 |

ICT

| Device | Code | Rev |
|---------|------|-----|
| EPROMs | | |
| 27C64A | 0CDA | 1.0 |
| 27CX256 | 0CFC | 8.0 |
| 27CX010 | 0CE1 | 8.0 |
| 27CX321 | 0CBB | 8.2 |
| 27CX322 | 0CBB | 6.0 |
| 27CX641 | 0CBC | 7.0 |
| 27CX642 | 0CBC | 7.0 |

INTEL

| Device | Code | Rev |
|---------|------|-----|
| EPROMs | | |
| 2716 | 6F42 | 2.0 |
| 2732 | 6F44 | 2.0 |
| 2732A | 6FC4 | 2.0 |
| P2732A | 6FC4 | 1.0 |
| 2764 | 6F4A | 1.0 |
| 2764A | 6FFA | 2.0 |
| 2764A* | 6FCA | 1.0 |
| P2764A | 6FCA | 1.0 |
| 27C64 | 6FFA | 6.0 |
| 27C64* | 6FDA | 1.0 |
| P27C64 | 6FDA | 1.0 |
| 87C64 | 6FF9 | 2.0 |
| 87C64* | 6FEA | 1.0 |
| P87C64 | 6FEA | 1.0 |
| 27128 | 6F4B | 1.0 |
| 27128A | 6FFB | 7.0 |
| 27128A* | 6FCB | 2.0 |
| P27128A | 6FCB | 1.0 |
| 27128B | 6FFB | 1.0 |
| 27128B* | 6FCB | 2.0 |
| 27C128 | 6FFB | 1.0 |
| P27C128 | 6FFB | 2.0 |
| 27C128* | 6FDB | 1.0 |
| 27256 | 6FFC | 4.3 |
| 27256* | 6F4C | 4.3 |
| P27256 | 6F4C | 1.0 |
| 27C256 | 6FDC | 4.3 |
| P27C256 | 6FDC | 1.0 |
| 87C256 | 6FEC | 1.0 |
| P87C256 | 6FEC | 1.0 |
| 87C257 | 6FED | 5.0 |
| 27C512 | 6FFD | 6.0 |
| 27512* | 6F4D | 6.0 |
| P27512 | 6F4D | 1.0 |
| 27513 | 6FFE | 2.0 |
| 27513* | 6FCD | 1.0 |
| P27513 | 6FCD | 1.0 |
| 27010 | 6FE1 | 1.0 |

40/41/42 M101 Device Support

| | | | | | |
|-----------|------|-------|---------|------|-----|
| 27C100 | 6FE3 | 6.0 | 28C64 | 027C | 2.0 |
| 27C010A | 6FF1 | 6.0 | 28C64F | 027D | 2.0 |
| 27011 | 6FCE | 7.0 | 28CP64 | 027C | 2.0 |
| 27C020 | 6FE2 | 5.0 | 28CP256 | 027F | 8.0 |
| 27C040 | 6FE4 | 5.0 | 28HC191 | 0233 | 3.0 |
| EEPROMs | | | 28HC291 | 0233 | 3.0 |
| 2816A | 6F52 | 1.0 | | | |
| 2816B | 6F57 | 1.0 | | | |
| 2817 | 6F53 | 1.0** | | | |
| 2817A | 6F58 | 4.0 | | | |
| 2864A | 6F5C | 1.0 | | | |
| 28F256A | 6FB0 | 13.0 | | | |
| 28F512 | 6FB1 | 13.0 | | | |
| 28F010 | 6FB2 | 13.0 | | | |
| 28F020 | 6FB3 | 13.0 | | | |
| 28F001B-B | 6EB1 | 8.1 | | | |
| 28F001B-T | 6EB2 | 8.1 | | | |
| 68C257 | 6FDE | 6.0 | | | |

* Uses old programming algorithms

** Uses adaptor 100-6F53

LATTICE

| Device | Code | Rev |
|---------|------|-----|
| EEPROMs | | |
| EE64K8 | A75C | 1.0 |

MACRONIX

| Device | Code | Rev |
|---------|------|------|
| 27C256 | 03FC | 12.0 |
| 27C512 | 03FD | 12.0 |
| 27C1000 | 03E1 | 12.0 |
| 27C1001 | 03E3 | 12.0 |
| 27C2000 | 03E2 | 12.0 |
| 27C4000 | 03E4 | 12.0 |

MICRO CHIP TECHNOLOGY (GI)

| Device | Code | Rev |
|---------|------|-----|
| EPROMs | | |
| 27C64 | 02DA | 6.0 |
| 27HC64 | 02DA | 2.0 |
| 27HC641 | 02AC | 2.0 |
| 27HC642 | 02AC | 3.0 |
| 27C128 | 02DB | 6.0 |
| 27256 | 024C | 1.0 |
| 27C256 | 02DC | 6.0 |
| 27C512 | 02DD | 6.0 |
| 27C513 | 02CD | 2.0 |
| 27C515 | 02CF | 2.0 |
| EEPROMs | | |
| 28C04 | 0270 | 2.0 |
| 28C04F | 0271 | 2.0 |
| 28C16 | 0274 | 2.0 |
| 28C16F | 0275 | 2.0 |
| 28HC16 | 0274 | 2.0 |
| 28C17 | 0278 | 2.0 |
| 28C17F | 0279 | 2.0 |
| 28HC17 | 0278 | 2.0 |

MITSUBISHI

| Device | Code | Rev |
|---------|------|------|
| 2716 | DF42 | 2.0 |
| 2732 | DF44 | 2.0 |
| 2732A | DFC4 | 2.0 |
| 2764 | DF4A | 1.0 |
| 27128 | DF4B | 1.0 |
| 27C128 | DFDB | 1.0 |
| 27256 | DF4C | 1.0 |
| 27C256 | DFDC | 2.0 |
| 27512 | DF4D | 1.0 |
| 27C512A | DFDD | 5.0 |
| 27C100 | DFE3 | 3.02 |
| 27C101 | DFE1 | 2.0 |
| 27C201 | DFE2 | 6.0 |
| 27C401 | DFE4 | 8.0 |

MOTOROLA

| Device | Code | Rev |
|---------|------|-----|
| EPROMs | | |
| 2716 | 7F42 | 2.0 |
| 2532 | 7F43 | 2.0 |
| 2732 | 7F44 | 2.0 |
| 68764 | 7F45 | 1.0 |
| 68766 | 7F45 | 1.0 |
| EEPROMs | | |
| 2816 | 7F52 | 1.0 |
| 2817 | 7F53 | 1.0 |

NATIONAL SEMICONDUCTOR

| Device | Code | Rev |
|---------|------|------|
| EPROMs | | |
| 2716 | 3F42 | 2.0 |
| 27C16 | 3FD2 | 2.0 |
| 27C16B | 3FD3 | 2.0 |
| 27C16H | 3FD1 | 6.0 |
| 2732 | 3F44 | 2.0 |
| 2732A | 3FC4 | 2.0 |
| 27C32 | 3FD4 | 7.0 |
| 27C32B | 3FD5 | 1.0 |
| 27C32H | 3FD6 | 1.0 |
| 2764 | 3F4A | 1.0 |
| 27C64 | 3FDA | 4.3 |
| 27C64B | 3FFA | 3.0 |
| 27128 | 3F4B | 1.0 |
| 27CP128 | 3FDB | 1.0 |
| 27C128B | 3FFB | 7.0 |
| 27C256 | 3FDC | 4.3 |
| 27C256B | 3FFC | 13.1 |
| 27C512 | 3FDD | 1.0 |